

Halfwidth and Fullwidth Forms

Range: FF00–FFEF

This file contains an excerpt from the character code tables and list of character names for

The Unicode Standard, Version 17.0 BETA REVIEW DRAFT

This file may be changed at any time without notice to reflect errata, or other updates to the Unicode Standard.

See <https://www.unicode.org/errata/> for an up-to-date list of errata.

See <https://www.unicode.org/charts/> for access to a complete list of the latest character code charts. See <https://www.unicode.org/charts/PDF/Unicode-17.0/> for charts showing only the characters added in Unicode 17.0. See <https://www.unicode.org/Public/17.0.0/charts/> for a complete archived file of character code charts for Unicode 17.0. See <https://www.unicode.org/charts/About.html#Conventions> for conventions used in these code charts, and other general information.

Disclaimer

These charts are provided as the online reference to the character contents of the Unicode Standard, Version 17.0 but do not provide all the information needed to fully support individual scripts using the Unicode Standard. For a complete understanding of the use of the characters contained in this file, please consult the appropriate sections of The Unicode Standard, Version 17.0, online at <https://www.unicode.org/versions/Unicode17.0.0/>, as well as the Unicode Standard Annexes, the other Unicode Technical Reports and Standards, and the Unicode Character Database, which are available online.

See <https://www.unicode.org/ucd/> and <https://www.unicode.org/reports/>

A thorough understanding of the information contained in these additional sources is required for a successful implementation.

Fonts

The shapes of the reference glyphs used in these code charts are not prescriptive. Considerable variation is to be expected in actual fonts.

See <https://www.unicode.org/charts/fonts.html> for a list.

Terms of Use

© 1991–2025 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use (<https://www.unicode.org/copyright.html>). Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.



The Unicode Consortium specifically grants ISO a license to produce such code charts with their associated character names list to show the repertoire of characters for that standard, as a normatively referenced, integral part of that standard.

Unicode uses most fonts under restricted license from the original font owner. You may not extract, copy, modify, or distribute fonts or font data from any Unicode Products, including this publication, without license from the font owner.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use

(<https://www.unicode.org/copyright.html>). The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided “AS-IS” without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.

	FF0	FF1	FF2	FF3	FF4	FF5	FF6	FF7	FF8	FF9	FFA	FFB	FFC	FFD	FFE
0		0 FF10	@ FF20	P FF30	` FF40	p FF50	) FF60	ー FF70	夕 FF80	ミ FF90		ㇿ FFB0			¢ FFE0
1	! FF01	1 FF11	A FF21	Q FF31	a FF41	q FF51	。 FF61	ア FF71	チ FF81	ム FF91	ㇿ FFA1	ㇿ FFB1			£ FFE1
2	" FF02	2 FF12	B FF22	R FF32	b FF42	r FF52	「 FF62	イ FF72	ツ FF82	メ FF92	ㇿ FFA2	ㇿ FFB2	ㇿ FFC2	ㇿ FFD2	ㇿ FFE2
3	# FF03	3 FF13	C FF23	S FF33	c FF43	s FF53	」 FF63	ウ FF73	テ FF83	モ FF93	ㇿ FFA3	ㇿ FFB3	ㇿ FFC3	ㇿ FFD3	ㇿ FFE3
4	\$ FF04	4 FF14	D FF24	T FF34	d FF44	t FF54	、 FF64	エ FF74	ト FF84	ヤ FF94	ㇿ FFA4	ㇿ FFB4	ㇿ FFC4	ㇿ FFD4	ㇿ FFE4
5	% FF05	5 FF15	E FF25	U FF35	e FF45	u FF55	・ FF65	オ FF75	ナ FF85	コ FF95	ㇿ FFA5	ㇿ FFB5	ㇿ FFC5	ㇿ FFD5	¥ FFE5
6	& FF06	6 FF16	F FF26	V FF36	f FF46	v FF56	ヲ FF66	カ FF76	ニ FF86	ヨ FF96	ㇿ FFA6	ㇿ FFB6	ㇿ FFC6	ㇿ FFD6	₩ FFE6
7	' FF07	7 FF17	G FF27	W FF37	g FF47	w FF57	ア FF67	キ FF77	ヌ FF87	ラ FF97	ㇿ FFA7	ㇿ FFB7	ㇿ FFC7	ㇿ FFD7	
8	(FF08	8 FF18	H FF28	X FF38	h FF48	x FF58	イ FF68	ク FF78	ネ FF88	リ FF98	ㇿ FFA8	ㇿ FFB8			丨 FFE8
9	) FF09	9 FF19	I FF29	Y FF39	i FF49	y FF59	ウ FF69	ケ FF79	ノ FF89	ル FF99	ㇿ FFA9	ㇿ FFB9			← FFE9
A	* FF0A	: FF1A	J FF2A	Z FF3A	j FF4A	z FF5A	エ FF6A	コ FF7A	ハ FF8A	レ FF9A	ㇿ FFA9	ㇿ FFB9	ㇿ FFC9	ㇿ FFD9	↑ FFEA
B	+ FF0B	; FF1B	K FF2B	[FF3B	k FF4B	{ FF5B	オ FF6B	サ FF7B	ヒ FF8B	ロ FF9B	ㇿ FFA9	ㇿ FFB9	ㇿ FFC9	ㇿ FFD9	→ FFEB
C	, FF0C	< FF1C	L FF2C	\ FF3C	l FF4C	 FF5C	ヤ FF6C	シ FF7C	フ FF8C	ワ FF9C	ㇿ FFA9	ㇿ FFB9	ㇿ FFC9	ㇿ FFD9	↓ FFEC
D	— FF0D	= FF1D	M FF2D	] FF3D	m FF4D	} FF5D	ユ FF6D	ス FF7D	ヘ FF8D	ソ FF9D	ㇿ FFA9	ㇿ FFB9	ㇿ FFC9		■ FFED
E	. FF0E	> FF1E	N FF2E	^ FF3E	n FF4E	~ FF5E	ヨ FF6E	セ FF7E	ホ FF8E	ゝ FF9E	ㇿ FFA9	ㇿ FFB9	ㇿ FFC9		○ FFEE
F	/ FF0F	? FF1F	O FF2F	_ FF3F	o FF4F	(FF5F	ッ FF6F	ソ FF7F	マ FF8F	° FF9F	ㇿ FFA9		ㇿ FFC9		

Fullwidth ASCII variants*See ASCII 0020-007E*

FF01	!	FULLWIDTH EXCLAMATION MARK ~ FF01 FE00 ! corner-justified form ~ FF01 FE01 ! centered form ≈ <wide> 0021 !
FF02	"	FULLWIDTH QUOTATION MARK ≈ <wide> 0022 "
FF03	#	FULLWIDTH NUMBER SIGN ≈ <wide> 0023 #
FF04	\$	FULLWIDTH DOLLAR SIGN ≈ <wide> 0024 \$
FF05	%	FULLWIDTH PERCENT SIGN ≈ <wide> 0025 %
FF06	&	FULLWIDTH AMPERSAND ≈ <wide> 0026 &
FF07	'	FULLWIDTH APOSTROPHE ≈ <wide> 0027 '
FF08	(	FULLWIDTH LEFT PARENTHESIS ≈ <wide> 0028 (
FF09	)	FULLWIDTH RIGHT PARENTHESIS ≈ <wide> 0029)
FF0A	*	FULLWIDTH ASTERISK ≈ <wide> 002A *
FF0B	+	FULLWIDTH PLUS SIGN ≈ <wide> 002B +
FF0C	,	FULLWIDTH COMMA • in Chinese, indicates a pause → 3001 、 ideographic comma ~ FF0C FE00 , corner-justified form ~ FF0C FE01 ' centered form ≈ <wide> 002C ,
FF0D	—	FULLWIDTH HYPHEN-MINUS ≈ <wide> 002D -
FF0E	.	FULLWIDTH FULL STOP ~ FF0E FE00 . corner-justified form ~ FF0E FE01 ' centered form ≈ <wide> 002E .
FF0F	/	FULLWIDTH SOLIDUS ≈ <wide> 002F /
FF10	0	FULLWIDTH DIGIT ZERO ~ FF10 FE00 0 short diagonal stroke form ≈ <wide> 0030 0
FF11	1	FULLWIDTH DIGIT ONE ≈ <wide> 0031 1
FF12	2	FULLWIDTH DIGIT TWO ≈ <wide> 0032 2
FF13	3	FULLWIDTH DIGIT THREE ≈ <wide> 0033 3
FF14	4	FULLWIDTH DIGIT FOUR ≈ <wide> 0034 4
FF15	5	FULLWIDTH DIGIT FIVE ≈ <wide> 0035 5
FF16	6	FULLWIDTH DIGIT SIX ≈ <wide> 0036 6
FF17	7	FULLWIDTH DIGIT SEVEN ≈ <wide> 0037 7
FF18	8	FULLWIDTH DIGIT EIGHT ≈ <wide> 0038 8
FF19	9	FULLWIDTH DIGIT NINE ≈ <wide> 0039 9

FF1A	:	FULLWIDTH COLON ~ FF1A FE00 : corner-justified form ~ FF1A FE01 : centered form ≈ <wide> 003A :
FF1B	;	FULLWIDTH SEMICOLON ~ FF1B FE00 ; corner-justified form ~ FF1B FE01 ; centered form ≈ <wide> 003B ;
FF1C	<	FULLWIDTH LESS-THAN SIGN ≈ <wide> 003C <
FF1D	=	FULLWIDTH EQUALS SIGN ≈ <wide> 003D =
FF1E	>	FULLWIDTH GREATER-THAN SIGN ≈ <wide> 003E >
FF1F	?	FULLWIDTH QUESTION MARK ~ FF1F FE00 ? corner-justified form ~ FF1F FE01 ? centered form ≈ <wide> 003F ?
FF20	@	FULLWIDTH COMMERCIAL AT ≈ <wide> 0040 @
FF21	A	FULLWIDTH LATIN CAPITAL LETTER A ≈ <wide> 0041 A
FF22	B	FULLWIDTH LATIN CAPITAL LETTER B ≈ <wide> 0042 B
FF23	C	FULLWIDTH LATIN CAPITAL LETTER C ≈ <wide> 0043 C
FF24	D	FULLWIDTH LATIN CAPITAL LETTER D ≈ <wide> 0044 D
FF25	E	FULLWIDTH LATIN CAPITAL LETTER E ≈ <wide> 0045 E
FF26	F	FULLWIDTH LATIN CAPITAL LETTER F ≈ <wide> 0046 F
FF27	G	FULLWIDTH LATIN CAPITAL LETTER G ≈ <wide> 0047 G
FF28	H	FULLWIDTH LATIN CAPITAL LETTER H ≈ <wide> 0048 H
FF29	I	FULLWIDTH LATIN CAPITAL LETTER I ≈ <wide> 0049 I
FF2A	J	FULLWIDTH LATIN CAPITAL LETTER J ≈ <wide> 004A J
FF2B	K	FULLWIDTH LATIN CAPITAL LETTER K ≈ <wide> 004B K
FF2C	L	FULLWIDTH LATIN CAPITAL LETTER L ≈ <wide> 004C L
FF2D	M	FULLWIDTH LATIN CAPITAL LETTER M ≈ <wide> 004D M
FF2E	N	FULLWIDTH LATIN CAPITAL LETTER N ≈ <wide> 004E N
FF2F	O	FULLWIDTH LATIN CAPITAL LETTER O ≈ <wide> 004F O
FF30	P	FULLWIDTH LATIN CAPITAL LETTER P ≈ <wide> 0050 P
FF31	Q	FULLWIDTH LATIN CAPITAL LETTER Q ≈ <wide> 0051 Q
FF32	R	FULLWIDTH LATIN CAPITAL LETTER R ≈ <wide> 0052 R
FF33	S	FULLWIDTH LATIN CAPITAL LETTER S ≈ <wide> 0053 S
FF34	T	FULLWIDTH LATIN CAPITAL LETTER T ≈ <wide> 0054 T
FF35	U	FULLWIDTH LATIN CAPITAL LETTER U ≈ <wide> 0055 U

FF36	V	FULLWIDTH LATIN CAPITAL LETTER V ≈ <wide> 0056 V
FF37	W	FULLWIDTH LATIN CAPITAL LETTER W ≈ <wide> 0057 W
FF38	X	FULLWIDTH LATIN CAPITAL LETTER X ≈ <wide> 0058 X
FF39	Y	FULLWIDTH LATIN CAPITAL LETTER Y ≈ <wide> 0059 Y
FF3A	Z	FULLWIDTH LATIN CAPITAL LETTER Z ≈ <wide> 005A Z
FF3B	[	FULLWIDTH LEFT SQUARE BRACKET ≈ <wide> 005B [
FF3C	\	FULLWIDTH REVERSE SOLIDUS ≈ <wide> 005C \
FF3D	]	FULLWIDTH RIGHT SQUARE BRACKET ≈ <wide> 005D]
FF3E	^	FULLWIDTH CIRCUMFLEX ACCENT ≈ <wide> 005E ^
FF3F	—	FULLWIDTH LOW LINE ≈ <wide> 005F _
FF40	`	FULLWIDTH GRAVE ACCENT ≈ <wide> 0060 `
FF41	a	FULLWIDTH LATIN SMALL LETTER A ≈ <wide> 0061 a
FF42	b	FULLWIDTH LATIN SMALL LETTER B ≈ <wide> 0062 b
FF43	c	FULLWIDTH LATIN SMALL LETTER C ≈ <wide> 0063 c
FF44	d	FULLWIDTH LATIN SMALL LETTER D ≈ <wide> 0064 d
FF45	e	FULLWIDTH LATIN SMALL LETTER E ≈ <wide> 0065 e
FF46	f	FULLWIDTH LATIN SMALL LETTER F ≈ <wide> 0066 f
FF47	g	FULLWIDTH LATIN SMALL LETTER G ≈ <wide> 0067 g
FF48	h	FULLWIDTH LATIN SMALL LETTER H ≈ <wide> 0068 h
FF49	i	FULLWIDTH LATIN SMALL LETTER I ≈ <wide> 0069 i
FF4A	j	FULLWIDTH LATIN SMALL LETTER J ≈ <wide> 006A j
FF4B	k	FULLWIDTH LATIN SMALL LETTER K ≈ <wide> 006B k
FF4C	l	FULLWIDTH LATIN SMALL LETTER L ≈ <wide> 006C l
FF4D	m	FULLWIDTH LATIN SMALL LETTER M ≈ <wide> 006D m
FF4E	n	FULLWIDTH LATIN SMALL LETTER N ≈ <wide> 006E n
FF4F	o	FULLWIDTH LATIN SMALL LETTER O ≈ <wide> 006F o
FF50	p	FULLWIDTH LATIN SMALL LETTER P ≈ <wide> 0070 p
FF51	q	FULLWIDTH LATIN SMALL LETTER Q ≈ <wide> 0071 q
FF52	r	FULLWIDTH LATIN SMALL LETTER R ≈ <wide> 0072 r
FF53	s	FULLWIDTH LATIN SMALL LETTER S ≈ <wide> 0073 s
FF54	t	FULLWIDTH LATIN SMALL LETTER T ≈ <wide> 0074 t

FF55	u	FULLWIDTH LATIN SMALL LETTER U ≈ <wide> 0075 u
FF56	v	FULLWIDTH LATIN SMALL LETTER V ≈ <wide> 0076 v
FF57	w	FULLWIDTH LATIN SMALL LETTER W ≈ <wide> 0077 w
FF58	x	FULLWIDTH LATIN SMALL LETTER X ≈ <wide> 0078 x
FF59	y	FULLWIDTH LATIN SMALL LETTER Y ≈ <wide> 0079 y
FF5A	z	FULLWIDTH LATIN SMALL LETTER Z ≈ <wide> 007A z
FF5B	{	FULLWIDTH LEFT CURLY BRACKET ≈ <wide> 007B {
FF5C		FULLWIDTH VERTICAL LINE ≈ <wide> 007C
FF5D	}	FULLWIDTH RIGHT CURLY BRACKET ≈ <wide> 007D }
FF5E	~	FULLWIDTH TILDE → 301C ~ wave dash ≈ <wide> 007E ~

Fullwidth brackets

FF5F	((	FULLWIDTH LEFT WHITE PARENTHESIS • the most commonly occurring glyph variant looks like doubled parentheses → 2E28 ((left double parenthesis ≈ <wide> 2985 ((
FF60	)	FULLWIDTH RIGHT WHITE PARENTHESIS ≈ <wide> 2986))

Halfwidth CJK punctuation

See *CJK punctuation 3000-303F*

FF61	。	HALFWIDTH IDEOGRAPHIC FULL STOP ≈ <narrow> 3002 。
FF62	「	HALFWIDTH LEFT CORNER BRACKET ≈ <narrow> 300C 「
FF63	」	HALFWIDTH RIGHT CORNER BRACKET ≈ <narrow> 300D 」
FF64	、	HALFWIDTH IDEOGRAPHIC COMMA ≈ <narrow> 3001 、

Halfwidth Katakana variants

See *Katakana 30A0-30FF*

FF65	・	HALFWIDTH KATAKANA MIDDLE DOT ≈ <narrow> 30FB ・
FF66	ヲ	HALFWIDTH KATAKANA LETTER WO ≈ <narrow> 30F2 ヲ
FF67	ァ	HALFWIDTH KATAKANA LETTER SMALL A ≈ <narrow> 30A1 ア
FF68	ィ	HALFWIDTH KATAKANA LETTER SMALL I ≈ <narrow> 30A3 イ
FF69	ゥ	HALFWIDTH KATAKANA LETTER SMALL U ≈ <narrow> 30A5 ウ
FF6A	エ	HALFWIDTH KATAKANA LETTER SMALL E ≈ <narrow> 30A7 エ
FF6B	ォ	HALFWIDTH KATAKANA LETTER SMALL O ≈ <narrow> 30A9 オ
FF6C	ャ	HALFWIDTH KATAKANA LETTER SMALL YA ≈ <narrow> 30E3 ヤ
FF6D	ュ	HALFWIDTH KATAKANA LETTER SMALL YU ≈ <narrow> 30E5 ュ
FF6E	ヨ	HALFWIDTH KATAKANA LETTER SMALL YO ≈ <narrow> 30E7 ヨ

FF6F ツ HALFWIDTH KATAKANA LETTER SMALL TU
 ≈ <narrow> 30C3 ツ

FF70 ー HALFWIDTH KATAKANA-HIRAGANA
 PROLONGED SOUND MARK
 ≈ <narrow> 30FC ー

FF71 ア HALFWIDTH KATAKANA LETTER A
 ≈ <narrow> 30A2 ア

FF72 イ HALFWIDTH KATAKANA LETTER I
 ≈ <narrow> 30A4 イ

FF73 ウ HALFWIDTH KATAKANA LETTER U
 ≈ <narrow> 30A6 ウ

FF74 エ HALFWIDTH KATAKANA LETTER E
 ≈ <narrow> 30A8 エ

FF75 オ HALFWIDTH KATAKANA LETTER O
 ≈ <narrow> 30AA オ

FF76 カ HALFWIDTH KATAKANA LETTER KA
 ≈ <narrow> 30AB カ

FF77 キ HALFWIDTH KATAKANA LETTER KI
 ≈ <narrow> 30AD キ

FF78 ク HALFWIDTH KATAKANA LETTER KU
 ≈ <narrow> 30AF ク

FF79 ケ HALFWIDTH KATAKANA LETTER KE
 ≈ <narrow> 30B1 ケ

FF7A コ HALFWIDTH KATAKANA LETTER KO
 ≈ <narrow> 30B3 コ

FF7B サ HALFWIDTH KATAKANA LETTER SA
 ≈ <narrow> 30B5 サ

FF7C シ HALFWIDTH KATAKANA LETTER SI
 ≈ <narrow> 30B7 シ

FF7D ス HALFWIDTH KATAKANA LETTER SU
 ≈ <narrow> 30B9 ス

FF7E セ HALFWIDTH KATAKANA LETTER SE
 ≈ <narrow> 30BB セ

FF7F ソ HALFWIDTH KATAKANA LETTER SO
 ≈ <narrow> 30BD ソ

FF80 タ HALFWIDTH KATAKANA LETTER TA
 ≈ <narrow> 30BF タ

FF81 チ HALFWIDTH KATAKANA LETTER TI
 ≈ <narrow> 30C1 チ

FF82 ツ HALFWIDTH KATAKANA LETTER TU
 ≈ <narrow> 30C4 ツ

FF83 テ HALFWIDTH KATAKANA LETTER TE
 ≈ <narrow> 30C6 テ

FF84 ト HALFWIDTH KATAKANA LETTER TO
 ≈ <narrow> 30C8 ト

FF85 ナ HALFWIDTH KATAKANA LETTER NA
 ≈ <narrow> 30CA ナ

FF86 ニ HALFWIDTH KATAKANA LETTER NI
 ≈ <narrow> 30CB ニ

FF87 ヌ HALFWIDTH KATAKANA LETTER NU
 ≈ <narrow> 30CC ヌ

FF88 ネ HALFWIDTH KATAKANA LETTER NE
 ≈ <narrow> 30CD ネ

FF89 ノ HALFWIDTH KATAKANA LETTER NO
 ≈ <narrow> 30CE ノ

FF8A ハ HALFWIDTH KATAKANA LETTER HA
 ≈ <narrow> 30CF ハ

FF8B ヒ HALFWIDTH KATAKANA LETTER HI
 ≈ <narrow> 30D2 ヒ

FF8C フ HALFWIDTH KATAKANA LETTER HU
 ≈ <narrow> 30D5 フ

FF8D ヘ HALFWIDTH KATAKANA LETTER HE
 ≈ <narrow> 30D8 ヘ

FF8E ホ HALFWIDTH KATAKANA LETTER HO
 ≈ <narrow> 30DB ホ

FF8F マ HALFWIDTH KATAKANA LETTER MA
 ≈ <narrow> 30DE マ

FF90 ミ HALFWIDTH KATAKANA LETTER MI
 ≈ <narrow> 30DF ミ

FF91 ム HALFWIDTH KATAKANA LETTER MU
 ≈ <narrow> 30E0 ム

FF92 メ HALFWIDTH KATAKANA LETTER ME
 ≈ <narrow> 30E1 メ

FF93 モ HALFWIDTH KATAKANA LETTER MO
 ≈ <narrow> 30E2 モ

FF94 ヤ HALFWIDTH KATAKANA LETTER YA
 ≈ <narrow> 30E4 ヤ

FF95 ユ HALFWIDTH KATAKANA LETTER YU
 ≈ <narrow> 30E6 ユ

FF96 ヨ HALFWIDTH KATAKANA LETTER YO
 ≈ <narrow> 30E8 ヨ

FF97 ラ HALFWIDTH KATAKANA LETTER RA
 ≈ <narrow> 30E9 ラ

FF98 リ HALFWIDTH KATAKANA LETTER RI
 ≈ <narrow> 30EA リ

FF99 ル HALFWIDTH KATAKANA LETTER RU
 ≈ <narrow> 30EB ル

FF9A レ HALFWIDTH KATAKANA LETTER RE
 ≈ <narrow> 30EC レ

FF9B ロ HALFWIDTH KATAKANA LETTER RO
 ≈ <narrow> 30ED ロ

FF9C ワ HALFWIDTH KATAKANA LETTER WA
 ≈ <narrow> 30EF ワ

FF9D ヌ HALFWIDTH KATAKANA LETTER N
 ≈ <narrow> 30F3 ヌ

FF9E っ HALFWIDTH KATAKANA VOICED SOUND MARK
 ≈ <narrow> 3099 っ

FF9F ゜ HALFWIDTH KATAKANA SEMI-VOICED SOUND
 MARK
 ≈ <narrow> 309A ゜

Halfwidth Hangul variants

See *Hangul Compatibility Jamo 3130-318F*

FFA0  HALFWIDTH HANGUL FILLER
 ≈ <narrow> 3164 

FFA1 ㅏ HALFWIDTH HANGUL LETTER KIYEOK
 ≈ <narrow> 3131 ㅏ

FFA2 ㅑ HALFWIDTH HANGUL LETTER SSANGKIYEOK
 ≈ <narrow> 3132 ㅑ

FFA3 ㅓ HALFWIDTH HANGUL LETTER KIYEOK-SIOS
 ≈ <narrow> 3133 ㅓ

FFA4 ㅕ HALFWIDTH HANGUL LETTER NIEUN
 ≈ <narrow> 3134 ㅕ

FFA5 ㅗ HALFWIDTH HANGUL LETTER NIEUN-CIEUC
 ≈ <narrow> 3135 ㅗ

FFA6 ㅛ HALFWIDTH HANGUL LETTER NIEUN-HIEUH
 ≈ <narrow> 3136 ㅛ

FFA7 ㅜ HALFWIDTH HANGUL LETTER TIKEUT
 ≈ <narrow> 3137 ㅜ

FFA8 ㅠ HALFWIDTH HANGUL LETTER SSANGTIKEUT
 ≈ <narrow> 3138 ㅠ

FFA9 ㅡ HALFWIDTH HANGUL LETTER RIEUL
 ≈ <narrow> 3139 ㅡ

FFAA ㅟ HALFWIDTH HANGUL LETTER RIEUL-KIYEOK
 ≈ <narrow> 313A ㅟ

FFAB	ㄹ	HALFWIDTH HANGUL LETTER RIEUL-MIEUM ≈ <narrow> 313B ㄹ
FFAC	ㅁ	HALFWIDTH HANGUL LETTER RIEUL-PIEUP ≈ <narrow> 313C ㅁ
FFAD	ㅂ	HALFWIDTH HANGUL LETTER RIEUL-SIOS ≈ <narrow> 313D ㅂ
FFAE	ㅅ	HALFWIDTH HANGUL LETTER RIEUL-THIEUTH ≈ <narrow> 313E ㅅ
FFAF	ㅈ	HALFWIDTH HANGUL LETTER RIEUL-PHIEUPH ≈ <narrow> 313F ㅈ
FFB0	ㅊ	HALFWIDTH HANGUL LETTER RIEUL-HIEUH ≈ <narrow> 3140 ㅊ
FFB1	ㅊ	HALFWIDTH HANGUL LETTER MIEUM ≈ <narrow> 3141 ㅊ
FFB2	ㅊ	HALFWIDTH HANGUL LETTER PIEUP ≈ <narrow> 3142 ㅊ
FFB3	ㅊ	HALFWIDTH HANGUL LETTER SSANGPIEUP ≈ <narrow> 3143 ㅊ
FFB4	ㅊ	HALFWIDTH HANGUL LETTER PIEUP-SIOS ≈ <narrow> 3144 ㅊ
FFB5	ㅊ	HALFWIDTH HANGUL LETTER SIOS ≈ <narrow> 3145 ㅊ
FFB6	ㅊ	HALFWIDTH HANGUL LETTER SSANGSIOS ≈ <narrow> 3146 ㅊ
FFB7	ㅇ	HALFWIDTH HANGUL LETTER IEUNG ≈ <narrow> 3147 ㅇ
FFB8	ㅈ	HALFWIDTH HANGUL LETTER CIEUC ≈ <narrow> 3148 ㅈ
FFB9	ㅈ	HALFWIDTH HANGUL LETTER SSANGCIEUC ≈ <narrow> 3149 ㅈ
FFBA	ㅈ	HALFWIDTH HANGUL LETTER CHIEUCH ≈ <narrow> 314A ㅈ
FFBB	ㅋ	HALFWIDTH HANGUL LETTER KHIEUKH ≈ <narrow> 314B ㅋ
FFBC	ㅌ	HALFWIDTH HANGUL LETTER THIEUTH ≈ <narrow> 314C ㅌ
FFBD	ㅌ	HALFWIDTH HANGUL LETTER PHIEUPH ≈ <narrow> 314D ㅌ
FFBE	ㅎ	HALFWIDTH HANGUL LETTER HIEUH ≈ <narrow> 314E ㅎ
FFBF	▣	<reserved>
FFC0	▣	<reserved>
FFC1	▣	<reserved>
FFC2	ㅏ	HALFWIDTH HANGUL LETTER A ≈ <narrow> 314F ㅏ
FFC3	ㅑ	HALFWIDTH HANGUL LETTER AE ≈ <narrow> 3150 ㅑ
FFC4	ㅓ	HALFWIDTH HANGUL LETTER YA ≈ <narrow> 3151 ㅓ
FFC5	ㅕ	HALFWIDTH HANGUL LETTER YAE ≈ <narrow> 3152 ㅕ
FFC6	ㅗ	HALFWIDTH HANGUL LETTER EO ≈ <narrow> 3153 ㅗ
FFC7	ㅛ	HALFWIDTH HANGUL LETTER E ≈ <narrow> 3154 ㅛ
FFC8	▣	<reserved>
FFC9	▣	<reserved>
FFCA	ㅜ	HALFWIDTH HANGUL LETTER YEO ≈ <narrow> 3155 ㅜ
FFCB	ㅠ	HALFWIDTH HANGUL LETTER YE ≈ <narrow> 3156 ㅠ
FFCC	ㅟ	HALFWIDTH HANGUL LETTER O ≈ <narrow> 3157 ㅟ
FFCD	ㅡ	HALFWIDTH HANGUL LETTER WA ≈ <narrow> 3158 ㅡ
FFCE	ㅣ	HALFWIDTH HANGUL LETTER WAE ≈ <narrow> 3159 ㅣ
FFCF	ㅤ	HALFWIDTH HANGUL LETTER OE ≈ <narrow> 315A ㅤ
FFD0	▣	<reserved>
FFD1	▣	<reserved>
FFD2	ㅢ	HALFWIDTH HANGUL LETTER YO ≈ <narrow> 315B ㅢ
FFD3	ㅣ	HALFWIDTH HANGUL LETTER U ≈ <narrow> 315C ㅣ
FFD4	ㅥ	HALFWIDTH HANGUL LETTER WEO ≈ <narrow> 315D ㅥ
FFD5	ㅦ	HALFWIDTH HANGUL LETTER WE ≈ <narrow> 315E ㅦ
FFD6	ㅧ	HALFWIDTH HANGUL LETTER WI ≈ <narrow> 315F ㅧ
FFD7	ㅨ	HALFWIDTH HANGUL LETTER YU ≈ <narrow> 3160 ㅨ
FFD8	▣	<reserved>
FFD9	▣	<reserved>
FFDA	ㅩ	HALFWIDTH HANGUL LETTER EU ≈ <narrow> 3161 ㅩ
FFDB	ㅪ	HALFWIDTH HANGUL LETTER YI ≈ <narrow> 3162 ㅪ
FFDC	ㅫ	HALFWIDTH HANGUL LETTER I ≈ <narrow> 3163 ㅫ
Fullwidth symbol variants		
<i>See Latin-1 00A0-00FF</i>		
FFE0	¢	FULLWIDTH CENT SIGN ≈ <wide> 00A2 ¢
FFE1	£	FULLWIDTH POUND SIGN ≈ <wide> 00A3 £
FFE2	¬	FULLWIDTH NOT SIGN ≈ <wide> 00AC ¬
FFE3	—	FULLWIDTH MACRON • sometimes treated as fullwidth overline → 203E — overline ≈ <wide> 00AF —
FFE4	‡	FULLWIDTH BROKEN BAR ≈ <wide> 00A6 ‡
FFE5	¥	FULLWIDTH YEN SIGN ≈ <wide> 00A5 ¥
FFE6	₩	FULLWIDTH WON SIGN ≈ <wide> 20A9 ₩
Halfwidth symbol variants		
FFE8		HALFWIDTH FORMS LIGHT VERTICAL ≈ <narrow> 2502
FFE9	←	HALFWIDTH LEFTWARDS ARROW ≈ <narrow> 2190 ←
FFEA	↑	HALFWIDTH UPWARDS ARROW ≈ <narrow> 2191 ↑
FFEB	→	HALFWIDTH RIGHTWARDS ARROW ≈ <narrow> 2192 →
FFEC	↓	HALFWIDTH DOWNWARDS ARROW ≈ <narrow> 2193 ↓
FFED	■	HALFWIDTH BLACK SQUARE ≈ <narrow> 25A0 ■

FFEE ◦ HALFWIDTH WHITE CIRCLE
 ≈ <narrow> 25CB ○

Standardized Variation Sequences	
FF01	! FULLWIDTH EXCLAMATION MARK
FF01	! corner-justified form
FF01 FE00	! centered form
FF01 FE01	
FF0C	, FULLWIDTH COMMA
FF0C	, corner-justified form
FF0C FE00	, centered form
FF0C FE01	
FF0E	. FULLWIDTH FULL STOP
FF0E	. corner-justified form
FF0E FE00	. centered form
FF0E FE01	
FF10	0 FULLWIDTH DIGIT ZERO
FF10	0 short diagonal stroke form
FF10 FE00	
FF1A	: FULLWIDTH COLON
FF1A	: corner-justified form
FF1A FE00	: centered form
FF1A FE01	
FF1B	; FULLWIDTH SEMICOLON
FF1B	; corner-justified form
FF1B FE00	; centered form
FF1B FE01	
FF1F	? FULLWIDTH QUESTION MARK
FF1F	? corner-justified form
FF1F FE00	? centered form
FF1F FE01	