The ISO Development Environment: User's Manual

Volume 2: Underlying Services

Marshall T. Rose
Performance Systems International, Inc.

Julian P. Onions
X-Tel Services Ltd

Colin J. Robbins
X-Tel Services Ltd

July 18, 1991
(Version 7.0)

Contents

I Introduction **1**

1 Overview **3**

1.1 Fanatics Need Not Read Further 4
1.2 The Name of the Game 5
1.3 Operating Environments 5
1.4 Organisation of the Release 7
1.5 A Note on This Implementation 9
1.6 Changes Since the Last Release 10

II Underlying Services **13**

2 Presentation Services **15**

2.1 Warning 16
2.2 Addresses 16
2.2.1 Calling Address 18
2.3 Connection Establishment 18
2.3.1 Connection Negotiation 18
2.3.2 Server Initialization 19
2.3.3 Client Initialization 28
2.4 Data Transfer 34
2.4.1 Restrictions on User Data 35
2.5 Error Conventions 35
2.6 Compiling and Loading 36
2.7 An Example 36
2.8 Lightweight Presentation Protocol 39
2.9 For Further Reading 40

3 Session Services **41**
3.1 Warning . . . 42
3.2 Addresses . . . 42
3.2.1 Calling Address . . . 44
3.2.2 Address Encodings . . . 44
3.3 Connection Establishment . . . 44
3.3.1 Connection Negotiation . . . 45
3.3.2 Server Initialization . . . 49
3.3.3 Client Initialization . . . 57
3.4 Data Transfer . . . 61
3.4.1 Sending Data . . . 62
3.4.2 Receiving Data . . . 65
3.4.3 Token Management . . . 74
3.4.4 Synchronization Management . . . 76
3.4.5 Activity Management . . . 80
3.4.6 Exception Reporting . . . 86
3.4.7 User-initiated Aborts . . . 87
3.4.8 Asynchronous Event Handling . . . 87
3.4.9 Synchronous Event Multiplexing . . . 91
3.5 Connection Release . . . 92
3.6 Restrictions on User Data . . . 95
3.7 Error Conventions . . . 96
3.8 Compiling and Loading . . . 96
3.9 An Example . . . 96
3.10 For Further Reading . . . 100

4 Transport Services **101**
4.1 Addresses . . . 101
4.1.1 Calling Address . . . 102
4.1.2 Address Encodings . . . 104
4.2 Connection Establishment . . . 105
4.2.1 Connection Negotiation . . . 105
4.2.2 Server Initialization . . . 106
4.2.3 Client Initialization . . . 110
4.3 Data Transfer . . . 115
4.3.1 Sending Data . . . 116
4.3.2 Receiving Data . . . 117

4.3.3 Asynchronous Event Handling . . . 119
4.3.4 Synchronous Event Multiplexing . . . 121
4.4 Connection Release . . . 123
4.5 State Saving and Restoration . . . 123
4.5.1 Saving the State . . . 123
4.5.2 Restoring the State . . . 124
4.6 Cookie Parameters . . . 124
4.6.1 Network Addresses . . . 125
4.6.2 Quality of Service . . . 128
4.7 Listen Facility . . . 129
4.8 Queued (non-blocking) Writes Facility . . . 132
4.9 Error Conventions . . . 133
4.10 Compiling and Loading . . . 133
4.11 An Example . . . 133
4.12 Compatibility Issues . . . 136
4.13 For Further Reading . . . 137
4.14 Changes Since the Last Release . . . 137

III Databases 139

5 The ISODE Services Database 141
5.1 Accessing the Database . . . 142

6 The ISODE Tailoring File 145
6.1 Tailor Variables . . . 145
6.1.1 Local Environment Tailoring . . . 145
6.1.2 Logging Tailoring . . . 147
6.1.3 Directory Services Tailoring . . . 148
6.1.4 Transport Switch Tailoring . . . 148
6.1.5 Interface Specific Tailoring . . . 151
6.2 Accessing the Tailoring File . . . 154

7 The ISODE Logging Facility 156
7.0.1 Data-Structures . . . 156
7.1 Accessing the Log . . . 158
7.1.1 Timestamps . . . 159

7.1.2 Making Log Entries 160
7.1.3 More About Making Log Entries 162
7.1.4 Miscellaneous Routines 163
7.2 Use of Logging in Programs 163

IV Configuration 165

8 The Transport Switch 167
8.1 Transport Stacks 167
8.2 OSI Communities 168
8.2.1 Defining a new OSI community 170
8.2.2 Heuristic Support 172
8.3 Transport-Service Bridges 173
8.3.1 Client Hosts 173
8.3.2 Server Hosts 174
8.4 In Retrospect 174

This document (version #6.19) was LaTeXset July 18, 1991 with lplain v2.09-10/29/85.

List of Tables

2.1 PSAP Failure Codes 25
2.2 PSAP PPDU Codes 26

3.1 Session Requirements 46
3.2 Session Tokens 47
3.3 Initial Token Settings 48
3.4 SSAP Failure Codes 55
3.5 SSAP Exception Codes 73

4.1 TSAP Failure Codes 109

List of Figures

2.1 Constructing the PSAP address for the LOOP provider 17
2.2 Initializing the PSAP source entity 37
2.3 Data Transfer for the PSAP source entity 39

3.1 Constructing the SSAP address for the Presentation provider . 43
3.2 Determining the Initial Token Settings 50
3.3 Initializing the SSAP source entity 98
3.4 Data Transfer for the SSAP source entity 100

4.1 Constructing the TSAP address for the Session provider . . . 103
4.2 Initializing the loopback entity 135
4.3 Data Transfer for the loopback entity 136

Preface

The software described herein has been developed as a research tool and represents an effort to promote the use of the International Organisation for Standardisation (ISO) interpretation of open systems interconnection (OSI), particularly in the Internet and RARE research communities.

Notice, Disclaimer, and Conditions of Use

The ISODE is openly available but is **NOT** in the public domain. You are allowed and encouraged to take this software and build commercial products. However, as a condition of use, you are required to "hold harmless" all contributors.
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that this notice and the reference to this notice appearing in each software module be retained unaltered, and that the name of any contributors shall not be used in advertising or publicity pertaining to distribution of the software without specific written prior permission. No contributor makes any representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

All contributors disclaim all warranties with regard to this software, including all implied warranties of mechantibility and fitness. In no event shall any contributor be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in action of contract, negligence or other tortuous action, arising out of or in connection with, the use or performance of this software.

As used above, "contributor" includes, but is not limited to:

The MITRE Corporation
The Northrop Corporation
NYSERNet, Inc.
Performance Systems International, Inc.
University College London
The University of Nottingham
X-Tel Services Ltd
The Wollongong Group, Inc.
Marshall T. Rose

In particular, the Northrop Corporation provided the initial sponsorship for the ISODE and the Wollongong Group, Inc., also supported this effort. The ISODE received partial support from the U.S. Defense Advanced Research